AUTHOR INDEX TO VOLUME 38

Al-Allaf, T. A. K., 47
Alvarez-Cienfuegos, G., 139
Antholine, W., 81
Apfelbaum, F., 1
Ayoub, M. T., 47
Bal, W., 9
Banerjee, S. K., 169
Baran, E. J., 101
Beauchamp, A. L., 225
Behere, D. V., 17
Berners-Price, S. J., 305, 327
Berthon, G., 241
Buccigross, J. M., 117
Castan, P., 225
Champagne, E. T., 199, 217
Chatterjee, M., 169
Cherifi, K., 69
Colacio-Rodriquez, E., 225
Cros, S., 225
Daydé, S., 241
Decock-Le Reverend, B., 69
El-Ezaby, M. S., 27
Featherstone, J. D. B., 1
Fillela, M., 241
Fisher, M. S., 199, 217
Ghodsian, R., 27
Goyal, R. B., 57
Harris, W. R., 175
Herrador-Pino, M. M., 139
Hinojosa, O., 199
Isab, A. A., 95
Jones, M. M., 81
Kadima, W., 277
Kanoongo, N., 57
Kiss, T., 69
Kościukiewicz, T., 153
Kozlowski, H., 9, 69
Kuchel, P. W., 305, 327
Kurzak, B., 9
Li, N. C., 289
López-Gárzon, R., 139
Lopez-González, J. M., 139
Loucheux, C., 69
Luzzi, L. A., 289
Lyman, S., 81
Ma, J. K. H., 289
Ma, J. Y. C., 289
Marafie, H. M., 27
Mayer, I., 1
McMillin, D. R., 107
Mitra, S., 17
Modi, S., 17
Mohamed-Hani, N., 175
Navarrete-Guijosa, A., 139
Nelson, D. J., 117
Nesset-Tollefson, D., 175
Petering, D. H., 81
Pezeshk, A., 185
Pezeshk, V., 185
Przywarska-Boniecka, H., 153
Quiquampoix, H., 265
Rabenstein, D. L., 277
Rafter, G. W., 261
Rashan, L. J., 47
Ratcliffe, R. G., 265
Ratković, S., 265
Ray, D., 169
Romero-Molina, M. A., 139
Saxena, V. K., 37
Schmidt Klemens, A., 107
Shaw III, C. F., 95
Shuaib, N. M., 27
Singh, R. V., 57
Sloan, D. L., 127
Sovago, I., 69
Srivastava, M. N., 37
Stenback, J. Z., 175
Syed, D. B., 127
Tandon, J. P., 57
Trynda, L., 153
Ujjani, B., 81
Varnagy, K., 69
Vučinić, Ž., 265
Williams, P. A. M., 101
Wimmer, S., 225
Winkelmann, D., 81
You, G., 117

Acetohexamide, Cu(II) complex of pyridine and, 185
L-Aceto-hydroxamic acid, binary complexes of, 27
N-Acetylcysteine, complexation of glutathione and, nitrilotriacetic acid complex role in, 277
N-Acetylglutamate, interaction of with divalent cations and phytic acid, 199
N-Acetylhistidine, interaction of with divalent cations and phytic acid, 199
N-Acetylpenicillamine, complexation of glutathione and, nitrilotriacetic acid complex role in, 277
α-Alanine, nitrilotriacetic acid and in formation of mixed-ligand chelates, 37
L-Alanine-hydroxamic acid, solution behavior of Ni(II) complexes of, 9
Aluminum–phosphate complexes, in vivo toxicity of, 241
Anion selectivity, in binding to serum transferrin, 175
Antibacterial activity, of dioxymolybdenum(VI) complexes of biologically active heterocyclic benzothiazolines, 57
Antifertility activity, of dioxymolybdenum(VI) complexes of biologically active heterocyclic benzothiazolines, 57
Antifungicidal activity, of dioxymolybdenum(VI) complexes of biologically active heterocyclic benzothiazolines, 57
Antitumor activity, of Pt(II) and Pd(II) complexes, 47, 225
Antiviral activity, of Pt(II) and Pd(II) complexes, 47
Apatites, synthetic carbonated, thermal decomposition of to β-tricalcium phosphate, 1
Apohemocyanin, kinetic dissociation of, 289
Aspirin, influence of on bilirubin binding, 153
Auranofin, analogy of thionato-Au-PEt_3 complexes to, 95
Bacillus spp., EALDH imidazole metal complexes against, 139
Benzothiazolines, biologically active heterocyclic, dioxymolybdenum(VI) complexes of, 57
Bilirubin binding, by human serum albumin, influences on, 153
bis-dimethyldithiocarbamato Cu(II), bleomycin cytotoxicity and, 81
Black precipitates, formed by hydroxamic acids, 27
Bleomycin cytotoxicity, dithiocarbamate enhancement of, 81
Bovine serum albumin, Cu(II) binding to, gold sodium thiomalate effect on, 261
Ca(II) titrations, of tyrosine-99 spin-labeled bovine calmodulin, 117
β-$Ca_3(PO_4)_2$, transformation of synthetic apatites to, 1
Calmodulin, bovine, spin labeled at tyrosine-99, 117
Candida spp., EALDH imidazole metal complexes against, 139
β-Carboline alkaloids, novel biologically active Pt(II) and (Pd)II complexes of, 47
Carboplatin, as cisplatin analog, 47
Cd(II)
  complexes, of L-cysteine containing di- and tripeptides, 69
  titrations, of tyrosine-99 spin-labeled bovine calmodulin, 117
Cd^{2+}, toxicity of, 277
CHN elemental analysis, Pt(II) and Pd(II) complexes characterized via, 47
Cisplatin
  anticancer activity of, 225
  reaction of with reduced glutathione, 305, 327
Clarias batrachus, bioaccumulation of nickel and vanadium in, 169
Co(II)
  complexes, of L-cysteine containing di- and tripeptides, 69
  mixed-ligand amino acid chelates of, 37
CO_3^{2-} ions, and HPO_4^{2-} ions, role of in transformation of synthetic apatites, 1
Coordination behavior, of dioxymolybdenum(VI) complexes of biologically active heterocyclic benzothiazolines, 57
Cr(III) pyrophosphate, addition of to OPRTase and HGPRTase assay solutions, kinetic analysis of effects of, 127
Cu(II)
  binding of to bovine serum albumin, gold sodium thiomalate effect on, 261
  bleomycin, 81
  complex, of acetoheximide and pyridine, 185
  ions, binding of to phytate, 217
  mixed-ligand amino acid chelates of, 37
  removal of from tree laccase, 107
Cysteine, complexation of glutathione and, nitrilotriacetic acid complex role in, 277
L-Cysteine residues, as metal-binding sites in metalloproteins and metallopeptides, 69
Cytochrome-c-peroxidase, molar relaxivity of, coordination geometry of heme in lactoperoxidase and, 17
DEDTC, 81
DEPT pulse sequence, reaction of cis- and transplatin assessed via, 305, 327
DHEDTC, 81
Diethyldithiocarbamate, in removal of Cu(II) from tree laccase, 107
Difference ultraviolet spectroscopy, inorganic anion binding to serum transferrin assessed via, 175

Differential pulse polarographic technique, binary and ternary complexes of (Pd)II-MX-Glygly assessed via, 27
Dimethylglyoxime, in removal of Cu(II) from tree laccase, 107
Dioxymolybdenum(VI) complexes, of biologically active heterocyclic benzothiazolines, 57
Divalent cations, interactions of with phytic acid and *N*-acetyl-amino acids, 199
DMDTC, 81
EALDH imidazole metal complexes, characterization of, 139
EDTA, in removal of Cu(II) from tree laccase, 107
Ehrlich cells, reactions of dithiocarbamates and their Cu(II) and Fe(II) complexes with, 81
Escherichia coli, EALDH imidazole metal complexes against, 139
Fe(II), bleomycin, 81
Fe(III) tetrasulfonated phthalocyanine, influence of on bilirubin binding, 153
Gadolinium, uptake of by maize roots, 265
Glutamic acid, complexation of glutathione and, nitrilotriacetic acid complex role in, 277
Glutathione
  complexation of related ligands and, nitrilotriacetic acid role in, 277
  reduced, reaction of cis- and transplatin with, 305, 327
Glycine
  glutathione complexation and, nitrilotriacetic acid role in, 277
  mixed-ligand chelates and, nitrilotriacetic acid role in, 37
L-Glycine-hydroxamic acid, binary complexes of, 27
Gold sodium thiomalate, Cu(II) binding to bovine serum albumin and, 261
HGPRTase, kinetic analysis of, 127
High-performance liquid chromatography, kinetic dissociation of hemocyanin assessed via, 289
L-Histidine-hydroxamic acid
  binary complexes of, 27
  solution behavior of Ni(II) complexes of, 9
Horseradish peroxidase, molar relaxivity of, coordination geometry of heme in lactoperoxidase and, 17
HPO_4^{2-} ions, and CO_3^{2-} ions, role of in transformation of synthetic apatites, 1
Human serum albumin, aspirin-modified, bilirubin interaction with, 153
Hydroxyapatite, calcium, transformation of to β-$Ca_3(PO_4)_2$, 1
Infrared spectroscopy, Pt(II) and Pd(II) complexes characterized via, 47
L1210 leukemia, anticancer drugs against, 225
Lactoperoxidase, vacancy of sixth coordination heme pocket in, 17
Leucine, nitrilotriacetic acid and, in formation of mixed-ligand chelates, 37
L-Leucine-hydroxamic acid, solution behavior of Ni(II) complexes of, 9
Limulus hemocyanin, kinetic dissociation of, 289
Maize roots, gadolinium uptake in, 265
Mercaptosuccinic acid, glutathione complexation and, nitrilotriacetic acid complex role in, 277
Methionine hydroxamic acid, Pd(II) complexes with, 27
3-Methyl orotic acid, Pt and Pd complexes of, 225
Met myoglobin, molar relaxivity of, coordination geometry of heme in lactoperoxidase and, 17
Mg(II) titrations, of tyrosine-99 spin-labeled bovine calmodulin, 117
Micrococcus spp., EALDH imidazole metal complexes against, 139
Mixed-ligand amino acid chelates, proton magnetic resonance spectral studies of, 37
Ni(II)
  amino-hydroxamic acid interactions with, 9
  complexes, of L-cysteine containing di- and tripeptides, 69
  mixed-ligand amino acid chelates of, 37
Nickel, bioaccumulation of in catfish tissues, 169
Nitrilotriacetic acid
  complexation of glutathione and related ligands by, 277
  mixed-ligand metal chelates formed with amino acids and, 37
NMGDTC, 81
Nuclear magnetic resonance spectra
  cis- and transplatin reaction assessed via, 305, 327
  gadolinium uptake by maize roots assessed via, 265
  of lactoperoxidase, 17
  Pt(II) and Pd(II) complexes characterized via, 47
  solution chemistry of metal complexes assessed via, 277
OPRTase, kinetic analysis of, 127
Oxyhemocyanin, kinetic dissociation of, 289
Palladium complexes, as anticancer agents, 225
Paraplatin, as cisplatin analog, 47
Pd(II) complexes, of β-carboline alkaloids, novel biologically active, 47
Pd(II)–MX-Glygly systems, binary and ternary complexes involved in, 27
Penicillamine, complexation of glutathione and, nitrilotriacetic acid complex role in, 277
D-Penicillamine, against rheumatoid arthritis, 261
Phytate, Cu(II) and Zi(II) ion binding to, 217
Phytic acid, interaction of with divalent cations and *N*-acetyl-amino acids, 199
Potentiometric analysis, of Pd(II) complexes with methionine hydroxamic acid, 27

Proteus spp., EALDH imidazole metal complexes against, 139
Proton magnetic resonance spectral studies, of mixed-ligand amino acid chelates, 37
Pseudomonas spp., EALDH imidazole metal complexes against, 139
Pt(II) complexes
  anticancer drugs with same structural pattern as, 225
  of β-carboline alkaloids, novel biologically active, 47
Pyridine, Cu(II) complex of acetoheximide and, 185
Raman spectroscopy, Pt(II) and Pd(II) complexes characterized via, 47
Red blood cells, reduced glutathione inside, reaction of cis- and transplatin with, 327
Relaxivity, molar, of water proton in lactoperoxidase solution, 17
Rheumatoid arthritis
  gold sodium thiomalate against, 261
  D-penicillamine against, 261
Rhus laccase, T2D, 107
Salmonella spp., EALDH imidazole metal complexes against, 139
Sarcoma, anticancer drugs against, 225
Sarcosine-hydroxamic acid, solution behavior of Ni(II) complexes of, 9
DL-Serine-hydroxamic acid, binary complexes of, 27
Staphylococcus spp., EALDH imidazole metal complexes against, 139
Sulfonylureas, as antidiabetic drugs, 185
Thermal decomposition, of synthetic carbonated apatites to β-tricalcium phosphate, 1
Thiamine diphosphate(cocarboxylase), vanadyl(IV) ion interaction with, 101
Thionato-Au-PEt_3 complexes, synthesis of, 95
Transferrin, serum, inorganic ion binding to, 175
Transplatin, reaction of with reduced glutathione, 305, 327
Tree laccase, T2D, 107
Tyrosine-99, bovine calmodulin spin-labeled, 117
Valine, nitrilotriacetic acid and, in formation of mixed-ligand chelates, 37
Vanadium, bioaccumulation of in catfish tissues, 169
VO^{2+} cation, thiamine diphosphate (cocarboxylase) interaction with, 101
Yeast, OPRTase and HGPRTase from, 127
Zi(II)
  ions, binding of to phytate, 217
  mixed-ligand amino acid chelates of, 37
  complexes, of L-cysteine containing di- and tripeptides, 69